FULL NAME:______
 DATE: January, 18th, 2023

 GROUP NUMBER:______
 TIME: 90 minutes
 20

ACTIVITY ONE (10 points)

- Tick (\checkmark) the correct answer.
- A correlation between EFL learners' confidence level and their reported willingness to speak in the classroom requires:
- **A.** Pearson correlation
- O **B.** Spearman correlation
- **C.** Multiple regression
- **D.** Point-Biserial correlation
- 2. *P* = 0.03 in *Kolmogorov–Smirnov* test means:
- A. Data are normally distributed
- O **B.** Data are not normally distributed
- **C.** Data are significant
- **D.** Data are not significant
- **3.** The null hypothesis (H_0) is:
- A. Positive
- **B.** Negative
- **C.** Directional
- 🔵 <mark>D.</mark> Neutral
- 4. Parametric statistical tests are used when:
- A. Participants are randomly recruited
- **B.** The data are interval
- C. The data are normally distributed
- O **D.** All of the above



- 5. The plot above shows a correlation close to:
- <mark>()</mark> A. -1
- **B.** -0.5
- **C.** +1.0
- **D.** +0.5

- 6. 73 students rated library services for 5 years (1 = not effective, 10 = very effective). The test used to assess the difference between the yearly ratings is:
- O A. Kruskal-Wallis test
- 🔵 **B.** Friedman test
- **C.** One-way ANOVA test
- **D.** Repeated Measures ANOVA test
- 7. Non-parametric test is used when the researcher:
- **A.** Recruits volunteers
- O B. Recruits a sample size of more than 30 participants
- **C.** Seeks to reflect the population's characteristics
- **D.** Selects every member of the population
- 8. A Type 2 error happens when we:
- A. Accept a true null hypothesis
- **B.** Reject a true null hypothesis
- C. Accept a false null hypothesis
- **D.** Reject a false null hypothesis
- **9.** Age group (e.g., 0 18, 19 30 ...) is considered:
- A. Nominal data
- 🔵 **B.** Ordinal data
- C. Interval data
- O **D.** Ratio data



10. The histogram above shows:

- A. A normal distribution
- O B. A negatively skewed distribution
- \bigcirc **C.** A positively skewed distribution
- **D.** None of the above

Turn the page ...

ACTIVITY TWO (5 points)

• Indicate the sampling approach described in each of the following statements.

1. Involves taking samples according to some specified rule e.g., every fourth unit	1.SYSTEMATIC SAMPLING (1 pts)
2. The researcher asks the initial subject to identify potential participants	2.SNOWBALL SAMPLING <mark>(1 pts)</mark>
3. The researcher thinks that some subjects are more fit for the research compared to other individuals	3.PURPOSIVE SAMPLING (1 pts)
4. Each unit in the population has an equal probability of being selected in the sample	4. RANDOM SAMPLING <mark>(1 pts)</mark>
5. Used when the population has different groups and those groups need to be fairly represented in the sample	5.STRATIFIED RANDOM SAMPLING (1 pts)

ACTIVITY THREE (5 points)

• Calculate the sum, the sample mean, the sample variance, and the sample standard deviation for the grammatical accuracy results and report them in the table below.

Algerian EFL learners	Grammatical errors	Chinese EFL learners	Grammatical errors
Student 1	29	Student 1	18
Student 2	51	Student 2	42
Student 3	35	Student 3	34
Student 4	21	Student 4	11
Student 5	42	Student 5	27

Groups	n	Σ	<i>X</i>	S²	S
	(0,5 pts)	(0,5 pts)	(0,5 pts)	(1,5 pts)	(1,5 pts)
Algerian EFL learners	5	178	35.60	133.80	11.57
Chinese EFL learners	5	132	26.40	152.30	12.34

Assuming the data are not normally distributed, what is the most appropriate inferential statistical test to assess the difference between Algerian and Chinese EFL learners' grammatical errors?

The inferential statistical test is: THE MANN–WHITNEY U TEST (0,5 pts)